



# PRICE LIST 1 OCTOBER 2024



Auth. Distributors  
**POLYCAB**  
IDEAS. CONNECTED.

## PRABHAT CABLES PVT. LTD.

**HEAD OFFICE** : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,  
Mumbai - 400 002, Maharashtra, India.

Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com  
info@prabhatcables.com • Website : www.prabhatcables.com

### BRANCHES :

#### RAIPUR

No-707, A Block, Babylan Tower, VIP Chowk,  
Telibandha, Raipur, Chhattisgarh - 492001, INDIA  
Tel. : +91 98261 99371 / 93005 65001  
Email : cg@prabhatcables.com

#### HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,  
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA  
Tel. : +91 86554 86242 / 86554 86246  
Email : hubli@prabhatcables.com

#### ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,  
Bhubaneswar - 751006, INDIA  
Tel. : +91 96810 07838 / 86554 86253  
Email : abani@prabhatcables.com, odisha@prabhatcables.com

#### BANGALORE

Karanja Chambers-2, No 16, 2nd Floor, 80 Feet Road,  
Basaveshwara Nagar, Bangalore - 560079, INDIA  
Tel. : +91 97390 02495  
Email : bgr@prabhatcables.com

#### KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,  
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)  
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247  
Email : klbg@prabhatcables.com

#### GUWAHATI

Anil Plaza, A-45, 1st Floor, Near IDBI Bank,  
G. S. Road, Guwahati - 781005, INDIA  
Tel. : +91 99541 99542  
Email : assam@prabhatcables.com

**POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)**

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE													
0.50	16/0.2	05	1325	3555	4870	6230	7825	9375	10500	12600	15600	18150	20900	23800	27700	34900													
0.75	24/0.2	08	1855	4750	6600	8480	11100	13300	15050	17700	21950	25800	30000	34200	40100	50100													
1.00	32/0.2	13	2365	6040	8395	10850	14325	17100	19200	22700	28000	33100	38800	44100	51700	65000													
1.50	30/0.25	17	3410	8215	11670	15275	19475	23700	27000	31000	39250	46400	54900	63400	73300	93700													
2.50	50/0.25	24	5610	13300	18650	24700	31950	38200	43700	52200	64400	77500	89400	102300	118700	153400													
4.00	56/0.3	30	8705	19900	28700	37700	50400	60400	72400	-----	-----	-----	-----	-----	-----	-----													
6.00	84/0.3	38	13000	29300	42300	55600	74200	<b>POLYCAB UNARMoured SCREENED CABLES</b>																					
10.00	80/0.4	52	22800	50100	72900	95900	127900										<b>CORES</b>	<b>16/.20 MM.</b>	<b>24/.20 MM.</b>	<b>32/.20 MM.</b>	<b>48/.20 MM.</b>	<b>80/.20 MM.</b>							
16.00	126/0.4	70	35850	78400	114000	150500	196200											<b>0.5 Sq. Mm.</b>	<b>0.75 Sq. Mm.</b>	<b>1.0 Sq. Mm.</b>	<b>1.5 Sq. Mm.</b>	<b>2.5 Sq. Mm.</b>							
25.00	196/0.4	88	56400	130600	189200	247100	356700										<b>2</b>	10700	13100	14800	17900	27200							
35.00	276/0.4	110	78900	181800	262800	345400	488700										<b>3</b>	12400	16000	20000	24800	36300							
50.00	396/0.4	145	112600	258200	374300	494300	707300										<b>4</b>	15350	20000	24400	30400	45800							
70.00	354/0.5	215	159100	366800	519200	686400	967100										<b>5</b>	19500	24000	27500	36900	61600							
95.00	484/0.5	260	210000	<b>Flexible copper WELDING CABLES</b>																									
120.00	608/0.5	305	270600														<b>Conductor Area SQ. MM.</b>	<b>(AMP)</b>	<b>Rate Per Meter</b>	<b>7</b>	22300	31300	36300	47800	78000				
150.00	750/0.5	355	338800														<b>16.00</b>	<b>120</b>	439.00	<b>8</b>	25900	37200	41300	55200	81500				
185.00	925/0.5	415	421500									<b>25.00</b>	<b>160</b>	687.00	<b>10</b>	32800	41000	54900	69200	91100									
240.00	1210/0.5	500	550100									<b>35.00</b>	<b>230</b>	949.00	<b>12</b>	37200	46400	58800	78000	106500									
300.00	1527/0.5	585	688300									<b>50.00</b>	<b>400</b>	1348.00	<b>14</b>	41000	54900	69000	93400	128000									
400.00	2036/0.5	695	917100									<b>70.00</b>	<b>600</b>	1906.00	<b>16</b>	43900	63900	77500	103100	150700									
												<b>95.00</b>	<b>700</b>	2511.00	<b>19</b>	52300	75700	91500	128000	194600									
							<b>24</b>	63100	84600	114800	156900	243900																	

**TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.**

POLYCAB INDUSTRIAL CABLES (MULTISTRAND) PRICE-LIST Dt. : 5th AUGUST 2024 • LP NO. 07/2024-25							POLYCAB FRLS INSULATED SINGLE CORE Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.			POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.			
CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil	RATE PER 100 METERS						
							SIZE SQ. MM.	Number/Nom. Dia of Conductor (No./dia mm)	(Amps)	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.75	-----	5470	-----	5640	-----	5940	0.5	16/.2	5	1360	3780	5090	6455
1.00	-----	7180	-----	7390	-----	7700	0.75	24/.2	8	1905	5035	6865	8755
1.50	-----	10560	-----	10880	-----	11350	1	32/.2	13	2395	6310	8695	11140
2.50	-----	17135	-----	17660	-----	18435	1.5	30/.25	17	3440	8555	12025	15530
4.00	17620	-----	18155	-----	18955	-----	2.5	50/.25	24	5700	13800	19100	25200
6.00	26350	-----	27145	-----	28340	-----	4	56/.3	30	8765	20500	29300	38400
10.00	46175	-----	47520	-----	49590	-----	6	84/.3	38	13150	30000	43000	56200
16.00	73205	-----	75355	-----	78640	-----	10	80/.4	52	23300	51000	74000	97300
<b>POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)</b>							16	126/.4	70	36400	80400	116600	153400
Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Rate/100m)							25	196/.4	88	57100	133300	192800	252100
Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)		35	276/.4	110	79800	185600	268000	352700
2	5825	7450	8950	11650	18200		50	396/.4	145	113700	263500	381800	504000
3	7225	9810	11850	15750	25200		70	354/.5	215	160900	374100	529500	700200
4	8950	11850	15200	20300	31800		95	484/.5	260	212200	-----	750500	990100
5	11025	14850	18050	24600	40300		120	608/.5	305	273000	-----	952900	1257800
6	12700	16800	21000	29700	48200		150	750/.5	355	342200	-----	1191200	1572400
7	13900	19700	24400	33300	57200		185	925/.5	415	425400	-----	1467100	1939100
8	15800	21250	27200	37400	63700		240	1210/.5	500	555600	-----	1893800	2506900
							300	1527/.5	585	695300	-----	2363200	3129400
							400	2036/.5	695	926300	-----	3148800	4145100

**TERMS & CONDITIONS :** (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES					
No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES As per DOT Specification	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.		
1 Pair	700.00	985.00	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	1240.00	1755.00	-----	-----	-----
3 Pair	1825.00	2595.00	-----	-----	-----
4 Pair	2340.00	3430.00	-----	-----	-----
5 Pair	2875.00	4255.00	139.00	119.00	174.00
10 Pair	-----	8270.00	264.00	187.00	278.00
RATE PER METER					
20 Pair	-----	177.80	419.00	-----	405.00
50 Pair	-----	461.00	-----	-----	872.00
100 Pair	-----	902.30	-----	-----	1850.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS			
SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	9840	16.00	89400
2.50	15270	25.00	140000
4.00	22500	35.00	193500
6.00	33200	50.00	-----
10.00	57800		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)				(Rate per 90 Meters)				CCTV CABLES (Rate Per 90 Mtrs. Coil)	
SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	1960.00	23/38	1330.00	0.50 Sq. mm.	1990.00	1.5 Sq. mm.	5300.00	3 + 1	3880.00
40/36	3000.00	40/38	2205.00	0.75 Sq. mm.	2885.00	2.0 Sq. mm.	8200.00	4 + 1	4220.00
70/36	4070.00	70/38	2990.00	1.00 Sq. mm.	3565.00	2.5 Sq. mm.	8800.00		

CO-AXIAL CABLES • (RATE PER COIL)			
ITEM	UNARMOURED (100 MTRS.)	UNARMOURED (305 MTRS.)	ARMOURED. (1000 MTRS.)
RG-59	2360	7210	
RG-06	2965	9085	97850
RG-11	6760	20700	152650
RG-06 CCS	1920	5850	
RG-11 CCS	3870	11800	

LAN COMPUTER CABLES	
ITEM 4 PAIR	UTP
	UNARMOURED (RATE PER COIL OF 305 MTR.)
CAT-6	12930.00

# PRABHAT CABLES PVT. LTD.

ESTD : 1958

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

**POLYCAB**

IDEAS. CONNECTED.

## PRICE LIST

PVC/XLPE ARMoured CABLES

W. E. F. : 1st May 2024

PCC LP No. 02/ 2024 - 25

# 2

**XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988**

### COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	205.00	289.00	4	392.00	525.00	672.00
3	255.00	373.00	6	536.00	740.00	950.00
4	315.00	467.00	10	856.00	1175.00	1538.00
5	378.00	557.00	16	1250.00	1838.00	2371.00
6	442.00	659.00				
			CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	494.00	749.00	25	2937.00	3520.00	3872.00
8	636.00	863.00	35	3982.00	4615.00	5254.00
10	719.00	1040.00	50	5443.00	6424.00	7282.00
12	788.00	1208.00	70	7920.00	9035.00	10318.00
14	898.00	1404.00	95	10824.00	12511.00	14740.00
16	1008.00	1594.00	120	13882.00	17050.00	18619.00
19	1197.00	1880.00	150	17655.00	20625.00	23650.00
24	1498.00	2352.00	185	22440.00	26257.00	29975.00
27	1649.00	2804.00	240	29150.00	33891.00	38669.00
30	1838.00	3371.00	300	36740.00	42489.00	49170.00
37	2483.00	3938.00	400	47190.00	53702.00	65737.00
44	2961.00	4599.00				
61	4358.00	6668.00				

### H. T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1453.00	-----	-----
3 x 50	1737.00	-----	-----
3 x 70	2116.00	-----	-----
3 x 95	2400.00	3311.00	4386.00
3 x 120	2897.00	3720.00	4945.00
3 x 150	3394.00	4266.00	5315.00
3 x 185	3870.00	4816.00	5934.00
3 x 240	4689.00	5685.00	7009.00
3 x 300	5547.00	6665.00	7912.00
3 x 400	6940.00	8084.00	9589.00

**XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988**

### ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	163.00	181.00	-----	202.00
4	-----	185.00	198.00	-----	232.00
6	-----	224.00	245.00	-----	292.00
10	-----	284.00	316.00	-----	402.00
16	182.00	323.00	340.00	-----	430.00
25	240.00	344.00	435.00	505.00	541.00
35	290.00	430.00	575.00	639.00	728.00
50	358.00	556.00	748.00	865.00	973.00
70	458.00	744.00	1026.00	1166.00	1322.00
95	549.00	920.00	1263.00	1456.00	1648.00
120	637.00	1098.00	1538.00	1823.00	2010.00
150	759.00	1350.00	1888.00	2161.00	2471.00
185	933.00	1623.00	2339.00	2736.00	3040.00
240	1153.00	2152.00	2986.00	3435.00	3925.00
300	1419.00	2637.00	3689.00	4227.00	4838.00
400	1792.00	3424.00	4716.00	5400.00	6220.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

### OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	134	0.75	156	1	174	1.5	208	2.5	285
PAIR	2	0.5	196	0.75	235	1	271	1.5	337	2.5	483
PAIR	3	0.5	235	0.75	295	1	351	1.5	449	2.5	667
PAIR	4	0.5	281	0.75	358	1	432	1.5	564	2.5	847
PAIR	5	0.5	329	0.75	425	1	520	1.5	689	2.5	1048
PAIR	6	0.5	379	0.75	494	1	602	1.5	803	2.5	1222
PAIR	8	0.5	466	0.75	619	1	764	1.5	1029	2.5	1578
PAIR	10	0.5	558	0.75	735	1	922	1.5	1254	2.5	1925
PAIR	12	0.5	632	0.75	859	1	1085	1.5	1469	2.5	2294
PAIR	16	0.5	793	0.75	1061	1	1375	1.5	1895	2.5	2967
PAIR	19	0.5	902	0.75	1255	1	1602	1.5	2216	2.5	3478
PAIR	24	0.5	1127	0.75	1577	1	1994	1.5	2785	2.5	4371
TRAID	1	0.5	163	0.75	196	1	221	1.5	274	2.5	379

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.