



PRICE LIST

16 OCTOBER 2024



Auth. Distributors
POLYCAB
IDEAS. CONNECTED.

PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,
Mumbai - 400 002, Maharashtra, India.
Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com
info@prabhatcables.com • Website : www.prabhatcables.com

BRANCHES :

RAIPUR

No-707, A Block, Babylan Tower, VIP Chowk,
Telibandha, Raipur, Chhattisgarh - 492001, INDIA
Tel. : +91 98261 99371 / 93005 65001
Email : cg@prabhatcables.com

HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA
Tel. : +91 86554 86242 / 86554 86246
Email : hubli@prabhatcables.com

ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,
Bhubaneswar - 751006, INDIA
Tel. : +91 96810 07838 / 86554 86253
Email : abani@prabhatcables.com, odisha@prabhatcables.com

BANGALORE

Karanja Chambers-2, No 16, 2nd Floor, 80 Feet Road,
Basaveshwara Nagar, Bangalore - 560079, INDIA
Tel. : +91 97390 02495
Email : bgr@prabhatcables.com

KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247
Email : klbg@prabhatcables.com

GUWAHATI

Anil Plaza, A-45, 1st Floor, Near IDBI Bank,
G. S. Road, Guwahati - 781005, INDIA
Tel. : +91 99541 99542
Email : assam@prabhatcables.com

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE								
0.50	16/0.2	05	1365	3555	4870	6230	7825	9375	10500	12600	15600	18150	20900	23800	27700	34900								
0.75	24/0.2	08	1910	4750	6600	8480	11100	13300	15050	17700	21950	25800	30000	34200	40100	50100								
1.00	32/0.2	13	2435	6040	8395	10850	14325	17100	19200	22700	28000	33100	38800	44100	51700	65000								
1.50	30/0.25	17	3515	8215	11670	15275	19475	23700	27000	31000	39250	46400	54900	63400	73300	93700								
2.50	50/0.25	24	5780	13300	18650	24700	31950	38200	43700	52200	64400	77500	89400	102300	118700	153400								
4.00	56/0.3	30	8880	19900	28700	37700	50400	60400	72400	-----	-----	-----	-----	-----	-----	-----								
6.00	84/0.3	38	13250	29300	42300	55600	74200	POLYCAB UNARMoured SCREENED CABLES																
10.00	80/0.4	52	23300	50100	72900	96400	127900										CORES	16/.20 MM. 24/.20 MM. 32/.20 MM. 48/.20 MM. 80/.20 MM.						
16.00	126/0.4	70	36300	78400	114600	151300	196200											0.5 Sq. Mm. 0.75 Sq. Mm. 1.0 Sq. Mm. 1.5 Sq. Mm. 2.5 Sq. Mm.						
25.00	196/0.4	88	57100	130600	190100	248300	356700										2	10900	13400	15100	18300	27700		
35.00	276/0.4	110	79900	181800	264100	347100	488700										3	12600	16300	20400	25300	37000		
50.00	396/0.4	145	114000	258200	376200	496800	707300										4	15700	20400	24900	31000	46700		
70.00	354/0.5	215	161100	366800	521800	689800	967100										5	19900	24500	28100	37600	62800		
95.00	484/0.5	260	212600	Flexible copper WELDING CABLES																				
120.00	608/0.5	305	274000	Conductor Area SQ. MM.	(AMP)	Rate Per Meter																		
150.00	750/0.5	355	343000	16.00	120	448.00																		
185.00	925/0.5	415	426800	25.00	160	701.00																		
240.00	1210/0.5	500	557000	35.00	230	968.00																		
300.00	1527/0.5	585	696900	50.00	400	1375.00																		
400.00	2036/0.5	695	928600	70.00	600	1944.00																		
				95.00	700	2561.00	6	21100	27700	32500	44100	70400												
							7	22700	31900	37000	48800	79600												
							8	26400	37900	42100	56300	83100												
							10	33500	41800	56000	70600	92900												
							12	37900	47300	60000	79600	108600												
							14	41800	56000	70400	95300	130600												
							16	44800	65200	79100	105200	153700												
							19	53300	77200	93300	130600	198500												
							24	64400	86300	117100	160000	248800												

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

POLYCAB FRLS INSULATED SINGLE CORE

Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.

RATE PER 100 METERS

SIZE SQ. MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.5	16/.2	5	1400	3780	5090	6455	8000	9555	10700	12700	15800	18600	21325	24300	28100	35500
0.75	24/.2	8	1965	5035	6865	8755	11300	13625	15250	17900	22500	26200	30750	34700	41000	51200
1	32/.2	13	2470	6310	8695	11140	14550	17500	19800	23000	28650	33900	39450	45000	52900	66300
1.5	30/.25	17	3545	8555	12025	15530	19900	24200	27300	31500	40100	47200	55900	64400	74800	95800
2.5	50/.25	24	5870	13800	19100	25200	32400	39200	44900	53300	65500	78700	91400	104400	121000	156700
4	56/.3	30	8940	20500	29300	38400	51300	61400	74000	-----	-----	-----	-----	-----	-----	-----
6	84/.3	38	13415	30000	43000	56200	75600	90700	-----	-----	-----	-----	-----	-----	-----	-----
10	80/.4	52	23800	51000	74000	97800	130400	POLYCAB INDUSTRIAL CABLES (MULTISTRAND)								
16	126/.4	70	36900	80400	117200	154200	200200	CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil		
25	196/.4	88	57800	133300	193800	253400	363600	0.75	-----	5635	-----	5810	-----	6120		
35	276/.4	110	80800	185600	269300	354500	498300	1.00	-----	7395	-----	7610	-----	7930		
50	396/.4	145	115100	263500	383700	506500	721300	1.50	-----	10880	-----	11205	-----	11690		
70	354/.5	215	162900	374100	532100	703700	986400	2.50	-----	17650	-----	18190	-----	18990		
95	484/.5	260	214900	-----	754300	995100	-----	4.00	18150	-----	18700	-----	19525	-----		
120	608/.5	305	276400	-----	957700	1264100	-----	6.00	27140	-----	27960	-----	29190	-----		
150	750/.5	355	346500	-----	1197200	1580300	-----	10.00	47560	-----	48950	-----	51080	-----		
185	925/.5	415	430700	-----	1474400	1948800	-----	16.00	75400	-----	77615	-----	81000	-----		
240	1210/.5	500	562500	-----	1903300	2519400	-----	POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)								
300	1527/.5	585	704000	-----	2375000	3145000	-----	Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)			
400	2036/.5	695	937900	-----	3164500	4165800	-----	2	5945	7600	9130	11900	18600			
								3	7375	10010	12100	16100	25700			
								4	9130	12100	15500	20700	32500			
								6	13000	17100	21400	30300	49200			
								8	16100	21700	27700	38100	65000			

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes.

(2) Subject to change without prior notice.

(3) This cancels all our previous price-lists.

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES					
No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES As per DOT Specification	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.		
1 Pair	700.00	985.00	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	1240.00	1755.00	-----	-----	-----
3 Pair	1825.00	2595.00	-----	-----	-----
4 Pair	2340.00	3430.00	-----	-----	-----
5 Pair	2875.00	4255.00	139.00	119.00	174.00
10 Pair	-----	8270.00	264.00	187.00	278.00
RATE PER METER					
20 Pair	-----	177.80	419.00	-----	405.00
50 Pair	-----	461.00	-----	-----	872.00
100 Pair	-----	902.30	-----	-----	1850.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS			
SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	9840	16.00	89400
2.50	15270	25.00	140000
4.00	22500	35.00	193500
6.00	33200	50.00	-----
10.00	57800		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)				(Rate per 90 Meters)				CCTV CABLES (Rate Per 90 Mtrs. Coil)	
SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	1960.00	23/38	1330.00	0.50 Sq. mm.	1990.00	1.5 Sq. mm.	5300.00	3 + 1	3880.00
40/36	3000.00	40/38	2205.00	0.75 Sq. mm.	2885.00	2.0 Sq. mm.	8200.00	4 + 1	4220.00
70/36	4070.00	70/38	2990.00	1.00 Sq. mm.	3565.00	2.5 Sq. mm.	8800.00		

CO-AXIAL CABLES • (RATE PER COIL)			
ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	2360	7210	
RG-06	2965	9085	97850
RG-11	6760	20700	152650
RG-06 CCS	1920	5850	
RG-11 CCS	3870	11800	

LAN COMPUTER CABLES	
ITEM 4 PAIR	UTP
	UNARMoured (RATE PER COIL OF 305 MTR.)
CAT-6	12930.00

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	220.00	311.00	4	421.00	564.00	722.00
3	274.00	401.00	6	576.00	796.00	1021.00
4	339.00	502.00	10	920.00	1263.00	1653.00
5	406.00	599.00	16	1344.00	1976.00	2549.00
6	475.00	708.00				
			CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	531.00	805.00	25	3157.00	3784.00	4162.00
8	684.00	928.00	35	4281.00	4961.00	5648.00
10	773.00	1118.00	50	5851.00	6906.00	7828.00
12	847.00	1299.00	70	8514.00	9713.00	11092.00
14	965.00	1509.00	95	11636.00	13449.00	15846.00
16	1084.00	1714.00	120	14923.00	18329.00	20015.00
19	1287.00	2021.00	150	18979.00	22172.00	25424.00
24	1610.00	2528.00	185	24123.00	28226.00	32223.00
27	1773.00	3014.00	240	31336.00	36433.00	41569.00
30	1976.00	3624.00	300	39496.00	45676.00	52858.00
37	2669.00	4233.00	400	50729.00	57730.00	70667.00
44	3183.00	4944.00				
61	4685.00	7168.00				

H. T. XLPE ARMoured ALUMINIUM CABLES RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1511.00	-----	-----
3 x 50	1806.00	-----	-----
3 x 70	2201.00	-----	-----
3 x 95	2496.00	3443.00	4561.00
3 x 120	3013.00	3869.00	5143.00
3 x 150	3530.00	4437.00	5528.00
3 x 185	4025.00	5009.00	6171.00
3 x 240	4877.00	5912.00	7289.00
3 x 300	5769.00	6932.00	8228.00
3 x 400	7218.00	8407.00	9973.00

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	175.00	195.00	-----	217.00
4	-----	199.00	213.00	-----	249.00
6	-----	241.00	263.00	-----	314.00
10	-----	305.00	340.00	-----	432.00
16	196.00	347.00	366.00	-----	462.00
25	258.00	370.00	468.00	543.00	582.00
35	312.00	462.00	618.00	687.00	783.00
50	385.00	598.00	804.00	930.00	1046.00
70	492.00	800.00	1103.00	1253.00	1421.00
95	590.00	989.00	1358.00	1565.00	1772.00
120	685.00	1180.00	1653.00	1960.00	2161.00
150	816.00	1451.00	2030.00	2323.00	2656.00
185	1003.00	1745.00	2514.00	2941.00	3268.00
240	1239.00	2313.00	3210.00	3693.00	4219.00
300	1525.00	2835.00	3966.00	4544.00	5201.00
400	1926.00	3681.00	5070.00	5805.00	6687.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	134	0.75	156	1	174	1.5	208	2.5	285
PAIR	2	0.5	196	0.75	235	1	271	1.5	337	2.5	483
PAIR	3	0.5	235	0.75	295	1	351	1.5	449	2.5	667
PAIR	4	0.5	281	0.75	358	1	432	1.5	564	2.5	847
PAIR	5	0.5	329	0.75	425	1	520	1.5	689	2.5	1048
PAIR	6	0.5	379	0.75	494	1	602	1.5	803	2.5	1222
PAIR	8	0.5	466	0.75	619	1	764	1.5	1029	2.5	1578
PAIR	10	0.5	558	0.75	735	1	922	1.5	1254	2.5	1925
PAIR	12	0.5	632	0.75	859	1	1085	1.5	1469	2.5	2294
PAIR	16	0.5	793	0.75	1061	1	1375	1.5	1895	2.5	2967
PAIR	19	0.5	902	0.75	1255	1	1602	1.5	2216	2.5	3478
PAIR	24	0.5	1127	0.75	1577	1	1994	1.5	2785	2.5	4371
TRAID	1	0.5	163	0.75	196	1	221	1.5	274	2.5	379

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.