



PRICE LIST 25 NOVEMBER 2024



Auth. Distributors
POLYCAB
IDEAS. CONNECTED.

PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,
Mumbai - 400 002, Maharashtra, India.
Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com
info@prabhatcables.com • Website : www.prabhatcables.com

BRANCHES :

RAIPUR

No-707, A Block, Babylan Tower, VIP Chowk,
Telibandha, Raipur, Chhattisgarh - 492001, INDIA
Tel. : +91 98261 99371 / 93005 65001
Email : cg@prabhatcables.com

HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA
Tel. : +91 86554 86242 / 86554 86246
Email : hubli@prabhatcables.com

ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,
Bhubaneswar - 751006, INDIA
Tel. : +91 96810 07838 / 86554 86253
Email : abani@prabhatcables.com, odisha@prabhatcables.com

BANGALORE

Karanja Chambers-2, No 16, 2nd Floor, 80 Feet Road,
Basaveshwara Nagar, Bangalore - 560079, INDIA
Tel. : +91 97390 02495
Email : bgr@prabhatcables.com

KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247
Email : klbg@prabhatcables.com

GUWAHATI

Anil Plaza, A-45, 1st Floor, Near IDBI Bank,
G. S. Road, Guwahati - 781005, INDIA
Tel. : +91 99541 99542
Email : assam@prabhatcables.com

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE													
0.50	16/0.2	05	1330	3465	4750	6075	7630	9140	10250	12300	15200	17700	20400	23200	27000	34000													
0.75	24/0.2	08	1865	4630	6435	8270	10825	12975	14700	17300	21400	25200	29300	33300	39100	48800													
1.00	32/0.2	13	2375	5890	8185	10580	14000	16700	18700	22100	27300	32300	37800	43000	50400	63400													
1.50	30/0.25	17	3430	8010	11380	14900	19000	23100	26300	30200	38300	45200	53500	61800	71500	91400													
2.50	50/0.25	24	5635	13000	18200	24100	31200	37200	42600	50900	62800	75600	87200	99700	115700	149600													
4.00	56/0.3	30	8660	19400	28000	36800	49100	58900	70600	-----	-----	-----	-----	-----	-----	-----													
6.00	84/0.3	38	12925	28600	41200	54200	72300	POLYCAB UNARMoured SCREENED CABLES																					
10.00	80/0.4	52	22700	48800	71100	94000	124700										CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.							
16.00	126/0.4	70	35400	76400	111700	147500	191300											0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.							
25.00	196/0.4	88	55700	127300	185300	242100	347800										2	10625	13075	14725	17850	27000							
35.00	276/0.4	110	77900	177300	257500	338400	476500										3	12275	15900	19900	24700	36100							
50.00	396/0.4	145	111200	251700	366800	484400	689600										4	15300	19900	24300	30200	45500							
70.00	354/0.5	215	157100	357600	508800	672600	942900										5	19400	23900	27400	36700	61200							
95.00	484/0.5	260	207300	Flexible copper WELDING CABLES																									
120.00	608/0.5	305	267200														Conductor Area SQ. MM.	(AMP)	Rate Per Meter	6	20600	27000	31700	43000	68600				
150.00	750/0.5	355	334400														16.00	120	437.00	7	22100	31100	36100	47600	77600				
185.00	925/0.5	415	416100									25.00	160	683.00	8	25700	37000	41000	54900	81000									
240.00	1210/0.5	500	543100									35.00	230	944.00	10	32700	40800	54600	68800	90600									
300.00	1527/0.5	585	679500									50.00	400	1341.00	12	37000	46100	58500	77600	105900									
400.00	2036/0.5	695	905400									70.00	600	1895.00	14	40800	54600	68600	92900	127300									
												95.00	700	2497.00	16	43700	63600	77100	102600	149900									
							19	52000	75300	91000	127300	193500																	
							24	62800	84100	114200	156000	242600																	

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

POLYCAB FRLS INSULATED SINGLE CORE

Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.

RATE PER 100 METERS

SIZE SQ. MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.5	16/.2	5	1365	3685	4965	6295	7800	9315	10450	12400	15400	18100	20800	23700	27400	34600
0.75	24/.2	8	1915	4910	6695	8535	11025	13300	14900	17500	21900	25500	30000	33800	40000	49900
1	32/.2	13	2410	6155	8480	10875	14200	17100	19300	22400	27900	33100	38500	43900	51600	64600
1.5	30/.25	17	3455	8340	11725	15150	19400	23600	26600	30700	39100	46000	54500	62800	72900	93400
2.5	50/.25	24	5725	13500	18600	24600	31600	38200	43800	52000	63900	76700	89100	101800	118000	152800
4	56/.3	30	8720	20000	28600	37400	50000	59900	72200	-----	-----	-----	-----	-----	-----	-----
6	84/.3	38	13100	29300	41900	54800	73700	88400	-----	-----	-----	-----	-----	-----	-----	-----
10	80/.4	52	23200	49700	72200	95400	127100	POLYCAB INDUSTRIAL CABLES (MULTISTRAND)								
16	126/.4	70	36000	78400	114300	150300	195200	CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil		
25	196/.4	88	56400	130000	189000	247100	354500	0.75	-----	5495	-----	5665	-----	5970		
35	276/.4	110	78800	181000	262600	345600	485800	1.00	-----	7210	-----	7420	-----	7735		
50	396/.4	145	112200	256900	374100	493800	703300	1.50	-----	10610	-----	10925	-----	11400		
70	354/.5	215	158800	364700	518800	686100	961700	2.50	-----	17210	-----	17735	-----	18515		
95	484/.5	260	209500	-----	735400	970200	-----	4.00	17695	-----	18235	-----	19040	-----		
120	608/.5	305	269500	-----	933800	1232500	-----	6.00	26460	-----	27260	-----	28460	-----		
150	750/.5	355	337800	-----	1167300	1540800	-----	10.00	46370	-----	47725	-----	49805	-----		
185	925/.5	415	419900	-----	1437500	1900100	-----	16.00	73515	-----	75675	-----	78975	-----		
240	1210/.5	500	548400	-----	1855700	2456400	-----	POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)								
300	1527/.5	585	686400	-----	2315600	3066400	-----	Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)			
400	2036/.5	695	914500	-----	3085400	4061700	-----	2	5800	7425	8905	11605	18150			
								3	7190	9775	11800	15700	25100			
								4	8900	11800	15125	21200	31700			
								6	12700	16700	20900	29500	48000			
								8	15700	21200	27000	37100	63400			

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes.

(2) Subject to change without prior notice.

(3) This cancels all our previous price-lists.

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES					
No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES As per DOT Specification	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.		
1 Pair	685.00	960.00	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	1210.00	1710.00	-----	-----	-----
3 Pair	1780.00	2530.00	-----	-----	-----
4 Pair	2280.00	3345.00	-----	-----	-----
5 Pair	2805.00	4150.00	139.00	119.00	174.00
10 Pair	-----	8065.00	264.00	187.00	278.00
RATE PER METER					
20 Pair	-----	173.35	419.00	-----	405.00
50 Pair	-----	449.50	-----	-----	872.00
100 Pair	-----	879.75	-----	-----	1850.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS			
SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	9530	16.00	87520
2.50	14785	25.00	136825
4.00	22115	35.00	189595
6.00	32430	50.00	-----
10.00	56355		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)				(Rate per 90 Meters)				CCTV CABLES (Rate Per 90 Mtrs. Coil)	
SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	1910.00	23/38	1295.00	0.50 Sq. mm.	1940.00	1.5 Sq. mm.	5170.00	3 + 1	3785.00
40/36	2925.00	40/38	2150.00	0.75 Sq. mm.	2815.00	2.0 Sq. mm.	7995.00	4 + 1	4115.00
70/36	3970.00	70/38	2915.00	1.00 Sq. mm.	3475.00	2.5 Sq. mm.	8580.00		

CO-AXIAL CABLES • (RATE PER COIL)			
ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	2300	7030	
RG-06	2890	8860	95400
RG-11	6590	20185	148835
RG-06 CCS	1870	5700	
RG-11 CCS	3775	11505	

LAN COMPUTER CABLES	
ITEM 4 PAIR	UTP
	UNARMoured (RATE PER COIL OF 305 MTR.)
CAT-6	12605.00

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	220.00	311.00	4	421.00	564.00	722.00
3	274.00	401.00	6	576.00	796.00	1021.00
4	339.00	502.00	10	920.00	1263.00	1653.00
5	406.00	599.00	16	1344.00	1976.00	2549.00
6	475.00	708.00				
			CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	531.00	805.00	25	3157.00	3784.00	4162.00
8	684.00	928.00	35	4281.00	4961.00	5648.00
10	773.00	1118.00	50	5851.00	6906.00	7828.00
12	847.00	1299.00	70	8514.00	9713.00	11092.00
14	965.00	1509.00	95	11636.00	13449.00	15846.00
16	1084.00	1714.00	120	14923.00	18329.00	20015.00
19	1287.00	2021.00	150	18979.00	22172.00	25424.00
24	1610.00	2528.00	185	24123.00	28226.00	32223.00
27	1773.00	3014.00	240	31336.00	36433.00	41569.00
30	1976.00	3624.00	300	39496.00	45676.00	52858.00
37	2669.00	4233.00	400	50729.00	57730.00	70667.00
44	3183.00	4944.00				
61	4685.00	7168.00				

H. T. XLPE ARMoured ALUMINIUM CABLES RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1511.00	-----	-----
3 x 50	1806.00	-----	-----
3 x 70	2201.00	-----	-----
3 x 95	2496.00	3443.00	4561.00
3 x 120	3013.00	3869.00	5143.00
3 x 150	3530.00	4437.00	5528.00
3 x 185	4025.00	5009.00	6171.00
3 x 240	4877.00	5912.00	7289.00
3 x 300	5769.00	6932.00	8228.00
3 x 400	7218.00	8407.00	9973.00

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	175.00	195.00	-----	217.00
4	-----	199.00	213.00	-----	249.00
6	-----	241.00	263.00	-----	314.00
10	-----	305.00	340.00	-----	432.00
16	196.00	347.00	366.00	-----	462.00
25	258.00	370.00	468.00	543.00	582.00
35	312.00	462.00	618.00	687.00	783.00
50	385.00	598.00	804.00	930.00	1046.00
70	492.00	800.00	1103.00	1253.00	1421.00
95	590.00	989.00	1358.00	1565.00	1772.00
120	685.00	1180.00	1653.00	1960.00	2161.00
150	816.00	1451.00	2030.00	2323.00	2656.00
185	1003.00	1745.00	2514.00	2941.00	3268.00
240	1239.00	2313.00	3210.00	3693.00	4219.00
300	1525.00	2835.00	3966.00	4544.00	5201.00
400	1926.00	3681.00	5070.00	5805.00	6687.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	134	0.75	156	1	174	1.5	208	2.5	285
PAIR	2	0.5	196	0.75	235	1	271	1.5	337	2.5	483
PAIR	3	0.5	235	0.75	295	1	351	1.5	449	2.5	667
PAIR	4	0.5	281	0.75	358	1	432	1.5	564	2.5	847
PAIR	5	0.5	329	0.75	425	1	520	1.5	689	2.5	1048
PAIR	6	0.5	379	0.75	494	1	602	1.5	803	2.5	1222
PAIR	8	0.5	466	0.75	619	1	764	1.5	1029	2.5	1578
PAIR	10	0.5	558	0.75	735	1	922	1.5	1254	2.5	1925
PAIR	12	0.5	632	0.75	859	1	1085	1.5	1469	2.5	2294
PAIR	16	0.5	793	0.75	1061	1	1375	1.5	1895	2.5	2967
PAIR	19	0.5	902	0.75	1255	1	1602	1.5	2216	2.5	3478
PAIR	24	0.5	1127	0.75	1577	1	1994	1.5	2785	2.5	4371
TRAID	1	0.5	163	0.75	196	1	221	1.5	274	2.5	379

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.